# engineering fracture mechanics

**List of Contents and Author Index**
**Volume 36, 1990**

PERGAMON PRESS

OXFORD · NEW YORK
BEIJING · FRANKFURT · SÃO PAULO · SYDNEY · TOKYO · TORONTO

# engineering fracture mechanics

An International Journal



**EDITOR-IN-CHIEF**

**PROFESSOR HAROLD LIEBOWITZ**

School of Engineering and Applied Science,
The George Washington University,
Washington, DC 20052, U.S.A.



**EDITORIAL ADVISORY BOARD**

**PROFESSOR S. N. ATLURI**
Georgia, U.S.A.
**DR. ZDENEK BILEK**
Brno, Czechoslovakia
**PROFESSOR BRUNO A. BOLEY**
New York, U.S.A.
**DR. DAVID BROEK**
Ohio, U.S.A.
**PROFESSOR JANNE CARLSSON**
Stockholm, Sweden
**PROFESSOR G. P. CHEREPANOV**
Moscow, U.S.S.R.
**PROFESSOR H. T. CORTEN**
Illinois, U.S.A.
**DR. J. R. DAVIDSON**
Virginia, U.S.A.
**DR. THEODOR GAYMANN**
Munich, Federal Republic of Germany
**DR. GEORGE T. HAHN**
Ohio, U.S.A.
**PROFESSOR GEORGE HERRMANN**
California, U.S.A.
**PROFESSOR D. L. JONES**
Washington, D.C., U.S.A.
**PROFESSOR HIROSHI KIHARA**
Tokyo, Japan
**DR. J. M. KRAFFT**
Virginia, U.S.A.
**PROFESSOR FRANK A. McCLINTOCK**
Massachusetts, U.S.A.
**DR. HENRI P. van LEEUWEN**
Amsterdam, The Netherlands
**PROFESSOR A. J. McEVILY**
Connecticut, U.S.A.
**PROFESSOR JAROSLAV NEMEC**
Prague, Czechoslovakia
**DR. NICHOLAS PERRONE**
Maryland, U.S.A.
**DR. Y. RAJAPAKSE**
Virginia, U.S.A.
**DR. J. SCHIJVE**
Delft, The Netherlands
**DR. WALTER SCHUTZ**
Ottobrunn, Federal Republic of Germany
**PROFESSOR GEORGE C. SIH**
Pennsylvania, U.S.A.
**PROFESSOR JAN-HAN YANG**
Washington, D.C., U.S.A.
**PROFESSOR TAKEO YOKOBORI**
Sendai City, Japan
**ROBERT E. ZINKHAM**
Virginia, U.S.A.



**Publishing, Subscription and Advertising Offices:** Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England; or Pergamon Press Inc., Fairview Park, Elmsford, NY 10523, U.S.A.

**Annual Subscription Rates (1990)**
Annual Institutional subscription rate (1990) DM 2650.00. Two year institutional rate (1990/91) DM 5035.00. Personal subscription rate for those whose library subscribes at the regular rate (1990) DM 248.00. Prices are subject to change without notice.

**Published 18 Times Per Annum** (Three volumes 1990). Subscription enquiries from customers in North America should be sent to Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A. and for the remainder of the world to Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England.

**Back Issues** of all previously published volumes, in both hard copy and on microform are available direct from Pergamon Press offices.



**Copyright © 1990 Pergamon Press plc.**

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise, without permission in writing from the copyright holder.

♾™ The text paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

*Photocopying information for users in the U.S.A.* The Item-Fee code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

*Permission for other use.* The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.



*The Item-Fee Code for this publication is:* 0013-7944/90 $3.00 + .00

# List of Contents

## NUMBER 1


| | | |
|---|---|---|
| **Qingfen Li, Shenghai Hu** and **Xinji Pan** | 1 | Effects of crack depth and shape on fracture toughness in a spring steel |
| **Li Changchun, Li Xiping** and **Li Guangxia** | 9 | A fracture damage evolution law for a cylindrical specimen irradiated by laser beam |
| **B. Y. Chen** and **Y. W. Shi** | 17 | A comparison of various dynamic elastoplastic fracture toughness evaluating procedure by instrumented impact test |
| **F. Ellyin** and **H. El Kadi** | 27 | Predicting crack growth direction in unidirectional composite laminae |
| **Huajian Gao** | 39 | On mismatch problems for plane and elliptic connections |
| **S. Q. Zhang, B. Z. Jang, B. T. Valaire** and **J. C. Suhling** | 49 | An energy based fracture criterion for mode II crack in fiber composites |
| **N. Miyazaki, T. Ikeda** and **T. Munakata** | 61 | Stress intensity factor analysis by combination of boundary element and finite element methods |
| **N. Yildirim** and **Ö. Vardar** | 71 | Study of periodic overloads at a fixed overload-ratio |
| **A. T. Alpas, L. Edwards** and **C. N. Reid** | 77 | The effect of $R$-ratio on near threshold fatigue crack growth in a metallic glass and a stainless steel |
| **M. A. Aminpour** and **K. A. Holsapple** | 93 | Near-field solutions for propagating cracks at the interface of dissimilar anisotropic elastic materials |
| **B. Wang, Wang Dianfu** and **Wang Duo** | 105 | Probability fracture mechanics of brittle materials with random-distributed defects under multi-axial states of stress |
| **D. S. Dawicke, A. F. Grandt, Jr** and **J. C. Newman, Jr** | 111 | Three-dimensional crack closure behavior |
| **T. S. Srivatsan** and **E. J. Coyne, Jr** | 123 | On the role of environment on the fatigue behavior of two aluminium–lithium alloys |
| **V. K. Srivastava** | 137 | Measurement of fracture strength of notched thick composites on the use of CTOD |
| **J. R. Berger, J. W. Dally** and **R. J. Sanford** | 145 | Determining the dynamic stress intensity factor with strain gages using a crack tip locating algorithm |
| **B. D. Davidson** and **R. A. Schapery** | 157 | A technique for predicting mode I energy release rates using a first-order shear deformable plate theory |

*Technical Notes*

**X. Niu** 167 Some requirements on the reference loading with large stress gradient for the calculation of weight functions using the Petroski–Achenbach method

**F. Smith** and **D. W. Hoeppner** 173 Use of the four parameter Weibull function for fitting fatigue and compliance calibration data

*Discussion*

**N. A. B. Yehia** 179 Author's closure on the discussion by P. S. Theocaris of "On the Use of the *T*-criterion in Fracture Mechanics"

*Letter to the Editor*

**W. L. Zang** 181 General solutions of a concentric penny-shaped crack in a thick plate sandwiched between two different outer layers

I Software Survey Section

**NUMBER 2**

**W. A. Logsdon, P. K. Liaw** and **M. A. Burke** 183 Fracture behavior of 63Sn–37Pb solder

**A. Combescure** and **Y. Jiaju** 219 Finite element method for large displacement and large strain elasto-plastic analysis of shell structures and some application of damage mechanics

**P. Kittl, G. Diaz, N. Alvarez** and **R. Aldunate** 233 Comparative testing of small samples of compacted neat-cement paste and of compacted copper-fibre cement composite

**W. X. Zhu** 239 Singular stress field of three-dimensional crack

**L. J. Jankowski** and **D. J. Styś** 245 Formation of the fracture process zone in concrete

**M. H. J. W. Paas, C. W. J. Oomens, P. J. G. Schreurs** and **J. D. Janssen** 255 The mechanical behaviour of continuous media with stochastic damage

**Chien-Ching Ma, Zensheu Chang** and **Chwan-Huei Tsai** 267 Weight functions of oblique edge and center cracks in finite bodies

**C. P. Spyropoulos** 287 An improved determination of the zones of yield initiation for the interface crack problem

**T. Krishnamurthy** and **I. S. Raju** 297 A finite-element alternating method for two-dimensional mixed-mode crack configurations

| | | |
|---|---|---|
| **Wang Chang** | 313 | An improvement of applying similarity methods to fracture mechanics—measurement of fractures toughness $K_{1c}$, $K_Q$ values by small-scale single specimen |
| **Sun Jun, Deng Zhengjie, Li Zhonghua** and **Tu Mingjing** | 321 | Stress triaxiality in crack tip regions of bend specimens with different crack-depth and fracture criterion at initiation |
| **K.-L. Chen** and **S. N. Atluri** | 327 | A finite-difference alternating method for a cost-effective determination of weight-functions for orthotropic materials in mixed-mode fracture |
| **P. S. Godavarti, K. R. Narendrnath, Y. H. Jung** and **K. L. Murty** | 341 | A personal computer based system to evaluate $J$-integral by a single specimen unloading compliance method—III: Software |
| **Weili Cheng** and **Iain Finnie** | 355 | $K_{II}$ solutions for an edge–cracked strip |
| | | *Technical Note* |
| **Ö. G. Bilir** | 361 | The relationship between the parameters $C$ and $n$ of Paris' law for fatigue crack growth in a SAE 1010 steel |
| | I | Software Survey Section |

**NUMBER 3**

| | | |
|---|---|---|
| **A. Sides, M. Perl** and **J. Uzan** | 365 | The effect of a disturbance and its location on the stress intensity factor in the three-point bend specimen |
| **A. Zhengzhi** | 373 | Study on fatigue embrittlement fracture limit |
| **M. Beghini** and **L. Bertini** | 379 | Fatigue crack propagation through residual stress fields with closure phenomena |
| **M. A. Mahmoud** | 389 | Surface fatigue crack growth under combined tension and bending loading |
| **Y. F. Al-Obaid** | 397 | Three-dimensional finite element analysis of assessing fracture in large rotors |
| **K. C. Valanis** | 403 | A theory of damage in brittle materials |
| **I. S. Raju** | 417 | Crack-face displacements for an embedded elliptic crack in an infinite solid subjected to arbitrary tractions |
| **A. Shukla, H. Nigam** and **H. Zervas** | 429 | Effect of stress field parameters on dynamic crack branching |
| **K. Nakagawa, T. Anma** and **Shu-Jin Duan** | 439 | A mathematical approach of the interface crack between dissimilar anisotropic composite materials |
| **G. Tsamasphyros** and **M. Papaioannou** | 451 | Singular shape functions for an automatic mesh generation around singularities |

**X. Niu** and **G. Glinka** 459 Weight functions for edge and surface semi-elliptical cracks in flat plates and plates with corners

**P. S. Theocaris** 477 Ductile branching modes in stable propagating cracks: an experimental study

**H. Sakamoto** and **S. Takezono** 495 Dependence of stress frequency on fatigue crack initiation in orthotropic material

**B. T. Valaire, Y. W. Yong, J. Suhling, B. Z. Jang** and **S. Q. Zhang** 507 Application of the $J$-integral to mixed mode fracture analysis of orthotropic composites

**Motohiro Nakano** and **Keizo Kishida** 515 Numerical computation of dynamic stress intensity factor for impact fracture toughness test

*Technical Notes*

**Zdeněk P. Bažant** 523 Justification and improvement of Kienzler and Herrmann's estimate of stress intensity factors of cracked beam

**S. Lalitha, S. Chattopadhyay** and **R. N. Ghosh** 527 Development of software of finite element mesh generation (MESHGEN) for metallurgical applications

I Software Survey Section

## NUMBER 4

**X. X. Xu, Y. Su, Q. G. Cai** and **H. L. Piao** 531 Statistical analysis of cleavage fracture load of notched bar with granular bainitic microstructure

**J. Eftis, D. L. Jones** and **H. Liebowitz** 537 Load biaxiality and fracture: synthesis and summary

**E. D. Reedy, Jr** 575 Intensity of the stress singularity at the interface corner between a bonded elastic and rigid layer

**A. Iost** and **J. Lesage** 585 On the existence of a pivot point for stage II fatigue crack growth

**L. Wojnar** and **M. Kumosa** 597 Quantitative analysis of overlapped fracture surfaces

**E. N. Theotokoglou** 611 Integral equation solution of the cracked finite elastic disc

**J. Lai** and **J. Schijve** 619 The stress intensity factor and stress concentration for a finite plate with a single crack emanating from a hole

**S. Itou** 631 Stresses around a cylindrical interface crack under shear

*Technical Notes*

**S. K. Maiti** and **P. K. Sarkar** 639 A method of calculation of total strain energy release rate and its layer-wise distribution for an arbitrary through-the-thickness crack extension in a composite laminate

**T. Fett, D. Munz** and **J. Neumann** 647 Local stress intensity factors for surface cracks in plates under power-shaped stress distributions

**Chon L. Tsai** and **Dong S. Kim** 653 Analysis of fatigue crack propagation behavior in fillet welded T-joint

I Software Survey Section

**NUMBER 5**

**A. Ghorbanpoor** and **Jiping Zhang** 661 Boundary element analysis of crack growth for mixed-mode center slant crack problems

**B. M. Liaw** and **M. Kamel** 669 Stress intensity factors for cracks emanating from a curvilinear hole in an anisotropic plane under arbitrary loadings

**Wei-Chung Wang** 683 A digital imaging algorithm for extracting stress intensity factor from the photoelastic fringe pattern

**M. Isida** and **T. Nishino** 697 Formulae of stress intensity factors at tips of kinked cracks under various loadings

**K. S. Parihar** and **V. Prasad** 713 Griffith cracks under general surface loadings and rigid inclusions in a granular solid

**P. Kittl** and **G. Díaz** 749 Five deductions of Weibull's distribution function in the probabilistic strength of materials

**D. J. Unger** 763 Analytic continuation of stresses across a mode I elastoplastic interface

**M. Kotoul** and **Z. Bílek** 777 Numerical simulation of plastic instability and accompanying acoustic emission activity

**D. Z. Zhang** and **J. Lin** 789 A general formula for three-point bend specimen $J$-integral calculation

*Technical Notes*

**D. Z. Zhang, Y. J. Xiao** and **Q. H. Ju** 795 On the effect of the ratio $a/W$ on the value of $K_{IC}$ in a high strength steel

**J. E. Perez Ipiña** 797 Unloading compliance method with normal precision instrumentation. Rotation corrections

**J. Schijve** and **J. Lai** 805 A finite width plate with a single crack at the edge of a central hole. The $K$-value of the crack and $\sigma_{peak}$ at the other side of the hole

| | | |
|---|---|---|
| **Hong Qichao** and **Chai Guozhong** | 813 | Stress intensity factor of nozzle corner cracks |
| **J. Iida, N. Hasebe** and **T. Nakamura** | 819 | Approximate expressions for SIF of crack initiating from notch for thin plate bending and plane problems |
| | I | Software Survey Section |

**NUMBER 6**

| | | |
|---|---|---|
| **T. S. Sudarshan, T. S. Srivatsan** and **D. P. Harvey II** | 827 | Fatigue processes in metals—role of aqueous environments |
| **Zhao-Jing Zeng** and **Shu-Ho Dai** | 853 | Line-spring boundary element method for a surface cracked plate |
| **Wang Qi-Zhi, Zhang Xing** and **Liu Yi** | 859 | A closed form solution of stress intensity factors for three-dimensional finite bodies with biaxial unsymmetric cracks by the energy release rate method |
| **M. Isida, A. Tokumoto** and **H. Noguchi** | 889 | Oblique semi-elliptical surface crack in semi-infinite solid subjected to tension |
| **Y. W. Shi, B. Y. Chen** and **J. X. Zhang** | 893 | Effects of welding residual stresses on fatigue crack growth behaviour in butt welds of a pipeline steel |
| **M. F. Kanninen, P. E. O'Donoghue C. H. Popelar** and **V. H. Kenner** | 903 | A viscoelastic fracture mechanics assessment of slow crack growth in polyethylene gas distribution pipe materials |
| **C. L. Tan** and **Y. L. Gao** | 919 | Treatment of bimaterial interface crack problems using the boundary element method |
| **H. Guo, N. I. Aziz** and **L. C. Schmidt** | 933 | Linear elastic crack tip modelling by the displacement discontinuity method |
| **K. Badari Narayana, B. Dattaguru, T. S. Ramamurthy** and **K. Vijayakumar** | 945 | Modified crack closure integral using six-noded isoparametric quadrilateral singular elements |
| **J. H. Zhao** and **F. S. Ji** | 957 | Stress analysis on unidirectional composites with surface notch by the variational principle |
| **S. A. Hamoush** and **M. R. Salami** | 965 | A mixed-mode crack analysis of rectilinear anisotropic solids |
| **H. Feng, J. Zhang** and **J. Rohde** | 971 | Crack surface relative displacement analysis of mixed-mode fracture mechanics problems |
| **Sanboh Lee** and **C. L. Chang** | 979 | Screw dislocation in the two-phase isotropic thin film of an interfacial crack |

**T. Nishioka** and **H. Kittaka** 987 A theory of caustics for mixed-mode fast running cracks

**Ji-Liang Doong, Jing-Ming Chi** and **Yen-Hung Tan** 999 Fracture toughness behaviour in AISI 4130 steel of electron beam welding

*Technical Notes*

**Y. H. Wang** and **C. Z. Li** 1007 In-plane bending problem of a double edge cracked plate

**S. Sahraoui** and **J. L. Lataillade** 1013 Dynamic effects during instrumented impact testing

**H. Shimada, Y.-C. Park, Y. Furuya** and **A. Kawasaki** 1021 Parameter of local cyclic strain distribution

**Li Zhonghua, Zhang Jiaozhong, Luo Jinghua** and **Feng Zhongxin** 1029 An experimental and numerical study of the factors governing crack growth under cyclic compression

I Software Survey Section